

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
    elementFormDefault="unqualified" attributeFormDefault="unqualified">
    <xs:element name="supportForm">
        <xs:annotation>
            <xs:documentation>Statement of support form</xs:documentation>
        </xs:annotation>
        <xs:complexType>
            <xs:sequence>
                <xs:element name="forCountry" type="xs:string">
                    <xs:annotation>
                        <xs:documentation>Country for which this
support form applies to
                        </xs:documentation>
                    </xs:annotation>
                </xs:element>
                <xs:element name="initiativeData" type="InitiativeDataType"
maxOccurs="1" minOccurs="0">
                    <xs:annotation>
                        <xs:documentation>The data of the initiative
being supported
                        </xs:documentation>
                    </xs:annotation>
                </xs:element>
                <xs:element name="signatures" type="SignatureListType">
                    <xs:annotation>
                        <xs:documentation>The collection of
signatures</xs:documentation>
                    </xs:annotation>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```

```
</xs:element>

<xs:complexType name="InitiativeDataType">
    <xs:all>
        <xs:element name="registrationNumber" type="xs:string">
            <xs:annotation>
                <xs:documentation>Commission registration number</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="startOfTheCollectionPeriod" type="xs:date">
            <xs:annotation>
                <xs:documentation>Start of the collection period</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="endOfTheCollectionPeriod" type="xs:date">
            <xs:annotation>
                <xs:documentation>End of the collection period</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="urlOnCommissionRegister" type="xs:string">
            <xs:annotation>
                <xs:documentation>Web address of the proposed initiative on the Commission register</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="title" type="xs:string">
            <xs:annotation>
                <xs:documentation>Title of the proposed initiative</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:all>
</xs:complexType>
```

```

        </xs:annotation>

    </xs:element>

<xs:element name="objectives" type="xs:string">
    <xs:annotation>
        <xs:documentation>Objectives</xs:documentation>
    </xs:annotation>
</xs:element>

<xs:element name="registeredContactPersons" type="xs:string">
    <xs:annotation>
        <xs:documentation>Name and email addresses of registered contact person</xs:documentation>
    </xs:annotation>
</xs:element>

<xs:element name="url" type="xs:string">
    <xs:annotation>
        <xs:documentation>Website of the proposed initiative</xs:documentation>
    </xs:annotation>
</xs:element>

</xs:all>

</xs:complexType>

<xs:complexType name="SignatureListType">
    <xs:sequence>
        <xs:element name="signature" type="SignatureType"
            minOccurs="0" maxOccurs="unbounded">
            <xs:annotation>
                <xs:documentation>One signatory (and its data)</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>

```

```
<xs:complexType name="SignatureType">
  <xs:sequence>
    <xs:element name="submissionDate" type="xs:date">
      <xs:annotation>
        <xs:documentation>Date of the signature submission</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="signatureIdentifier" type="xs:string">
      <xs:annotation>
        <xs:documentation>The signature identifier.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="annexRevision" type="xs:int">
      <xs:annotation>
        <xs:documentation>The current annex revision number.</xs:documentation>
      </xs:annotation>
    </xs:element>
    <xs:element name="signatoryInfo" type="SignatoryType">
      <xs:annotation>
        <xs:documentation>Identification data of the person supporting the initiative</xs:documentation>
      </xs:annotation>
    </xs:element>
  </xs:sequence>
</xs:complexType>
<xs:complexType name="SignatoryType">
  <xs:sequence>
```

```

        <xs:element name="groups"
type="InformationGroupListType"></xs:element>

    </xs:sequence>

</xs:complexType>

<xs:complexType name="InformationGroupListType">

    <xs:sequence>

        <xs:element name="group" type="GroupType" minOccurs="0"
maxOccurs="unbounded">

            <xs:annotation>
                <xs:documentation>The list of
groups</xs:documentation>
            </xs:annotation>

        </xs:element>

    </xs:sequence>

</xs:complexType>

<xs:complexType name="GroupType">

    <xs:sequence>

        <xs:element name="name" type="xs:string">

            <xs:annotation>
                <xs:documentation>Group name</xs:documentation>
            </xs:annotation>

        </xs:element>

    </xs:sequence>

        <xs:element name="properties" type="PropertyListType">

            <xs:annotation>
                <xs:documentation>Collection of properties within
group
            </xs:documentation>
            </xs:annotation>

        </xs:element>

    </xs:sequence>

```

```
</xs:complexType>

<xs:complexType name="PropertyListType">
    <xs:sequence>
        <xs:element name="property" type="PropertyType" minOccurs="0"
                    maxOccurs="unbounded">
            <xs:annotation>
                <xs:documentation>One group property (and its data)</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>

<xs:complexType name="PropertyType">
    <xs:all>
        <xs:element name="key" type="xs:string">
            <xs:annotation>
                <xs:documentation>Key</xs:documentation>
            </xs:annotation>
        </xs:element>
        <xs:element name="value" type="xs:string">
            <xs:annotation>
                <xs:documentation>Value</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:all>
</xs:complexType>

</xs:schema>
```