

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- edited with XMLSpy v2006 rel. 3 sp1 (http://www.altova.com) by
abc (European
Commission) -->
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
elementFormDefault="unqualified"
attributeFormDefault="unqualified">
    <xs:element name="supportForm">
        <xs:annotation>
            <xs:documentation>Statement of support
form</xs:documentation>
        </xs:annotation>
        <xs:complexType>
            <xs:sequence>
                <xs:element name="forCountry"
type="xs:string">
                    <xs:annotation>
                        <xs:documentation>Country
for which this support form applies to
                    </xs:documentation>
                    </xs:annotation>
                </xs:element>
                <xs:element name="forLanguage"
type="xs:string">
                    <xs:annotation>
                        <xs:documentation>Language for which this support form applies
to
                    </xs:documentation>
                    </xs:annotation>
                </xs:element>
                <xs:element name="initiativeData"
type="InitiativeDataType">
                    maxOccurs="1" minOccurs="0">
                    <xs:annotation>
                        <xs:documentation>The
data of the initiative being supported
                    </xs:documentation>
                    </xs:annotation>
                </xs:element>
                <xs:element name="signatures"
type="SignatureListType">
                    <xs:annotation>
                        <xs:documentation>The
collection of signatures</xs:documentation>
                    </xs:annotation>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:complexType name="InitiativeDataType">
        <xs:all>
            <xs:element name="registrationNumber"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>Commission
registration number</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="registrationDate"
type="xs:date">

```

```

                <xs:annotation>
                    <xs:documentation>Date of
registration</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="urlOnCommissionRegister"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>Web address of
the proposed initiative on the
                                         Commission
register</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="title" type="xs:string">
                <xs:annotation>
                    <xs:documentation>Title of the
proposed initiative
                </xs:annotation>
            </xs:element>
            <xs:element name="subjectMatter"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>Subject
matter</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="mainObjectives"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>Main
objectives</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="organizerList"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>List of
organizers</xs:documentation>
                </xs:annotation>
            </xs:element>
            <xs:element name="contactPersonsList"
type="xs:string">
                <xs:annotation>
                    <xs:documentation>Names and
email of contact person
                </xs:annotation>
            </xs:element>
            <xs:element name="url" type="xs:string">
                <xs:annotation>
                    <xs:documentation>Website of the
proposed initiative
                </xs:annotation>
            </xs:element>
        </xs:all>
    </xs:complexType>
<xs:complexType name="SignatureListType">
    <xs:sequence>

```

```

                <xs:element name="signature"
type="SignatureType"
                    minOccurs="0" maxOccurs="unbounded">
                    <xs:annotation>
                        <xs:documentation>One signatory
(and its data)</xs:documentation>
                    </xs:annotation>
                </xs:element>
            </xs:sequence>
        </xs:complexType>
<xs:complexType name="SignatureType">
    <xs:sequence>
        <xs:element name="submissionDate"
type="xs:date">
            <xs:annotation>
                <xs:documentation>Date of the
signature submission
            </xs:documentation>
        </xs:annotation>
    </xs:element>
    <xs:element name="signatureIdentifier"
type="xs:string">
            <xs:annotation>
                <xs:documentation>The signature
identifier.</xs:documentation>
            </xs:annotation>
        </xs:element>
    <xs:element name="signatoryInfo"
type="SignatoryType">
            <xs:annotation>
                <xs:documentation>Identification
data of the person supporting the
initiative</xs:documentation>
            </xs:annotation>
        </xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="SignatoryType">
    <xs:sequence>
        <xs:element name="groups"
type="InformationGroupListType"></xs:element>
    </xs:sequence>
</xs:complexType>
<xs:complexType name="InformationGroupListType">
    <xs:sequence>
        <xs:element name="group" type="GroupType"
minOccurs="0"
                    maxOccurs="unbounded">
                    <xs:annotation>
                        <xs:documentation>The list of
groups</xs:documentation>
                    </xs:annotation>
                </xs:element>
            </xs:sequence>
</xs:complexType>

<xs:complexType name="GroupType">
    <xs:sequence>
        <xs:element name="name" type="xs:string">
            <xs:annotation>

```

```

                <xs:documentation>Group
name</xs:documentation>
                </xs:annotation>
            </xs:element>

            <xs:element name="properties"
type="PropertyListType">
                <xs:annotation>
                    <xs:documentation>Collection of
properties within group
                </xs:documentation>
                </xs:annotation>
            </xs:element>
        </xs:sequence>
    </xs:complexType>

    <xs:complexType name="PropertyListType">
        <xs:sequence>
            <xs:element name="property" type="PropertyType"
minOccurs="0"
                maxOccurs="unbounded">
                <xs:annotation>
                    <xs:documentation>One group
property (and its data)
                </xs:documentation>
                </xs:annotation>
            </xs:element>
        </xs:sequence>
    </xs:complexType>

    <xs:complexType name="PropertyType">
        <xs:all>
            <xs:element name="key" type="xs:string">
                <xs:annotation>
                    <xs:documentation>Key</xs:documentation>
                    </xs:annotation>
                </xs:element>

                <xs:element name="value" type="xs:string">
                    <xs:annotation>
                        <xs:documentation>Value</xs:documentation>
                        </xs:annotation>
                    </xs:element>
            </xs:all>
        </xs:complexType>
    </xs:schema>
```